

id 6428

Tow boat


[2011 DP2 AHTS OSV - 100 T BP/ 8000 BHP pikeun Diobral](#)

id kapal	6428
Kategori	Tow boat
Kelas	ABS
Taun Pangwangunan	2011
Bandéra	Kapuloan Marshall
Harga	\$3,200,000
Tanggal ditambahkeun kapal	2022-10-13
Ditambahkeun ku	Horizon Offshore Services

dimensi kapal

Panjang sakabéh (LOA), m	67.4
Jero, m	7
Draf kapal, m	5.9

Inpormasi Tambahan

Mesin Utama2 x 4000bhp
Didorong sorangan	
Dek	1

kapal sarupa	Témbongkeun kapal sarupa
Paménta	Purchasing requests cocog
e-mail	Kirim surélék



Ref: 04202

DP2 AHTS VESSEL AVAILABLE FOR SALE



Key Features:

- DP2
- 420m² Deck Space
- 8000 BHP
- 100T Bollard Pull

DP2 AHTS

Class Notation	DP2, Towing Vessel, Fire Fighting Vessel Class E, Offshore Support Vessel Class E, DP2, DP2, DP2, DP2, DP2
Place of Build	China
Year of Build	2011
Flag	Marshall Island

Main Particulars	
Design	Customized
LDA	67.00m
Breadth	14.00m
Depth	7.00m
Max Loaded Draft	5.90m

Performance	
Max Speed	13 knots
Engine Power	8000 HP
Bollard Pull	100T

Capacity	
Deck Weight	2000 Tons
Deck Load	Approx. 800 Tons
Crane Deck Dim.	30m x 14m
Deck Area	420m ²
Deck Strength	15.0m ²
Dry Bulk Capacity	4 x 12.5m ³
Dirt / Ballast Water	700m ³
Portable Water	200m ³
Oil Storage	300m ³
Waste	Some Tanks w/ OBM
Fuel Oil	1100m ³
Proseur Room	30m ³
Cooker Room	12m ³

Deck Equipment	
Capstans	2 x 20T @ 15m/min
Winch	1 x 10T @ 15m/min
Deck Crane	2T @ 14m
Manoeuvring Boat	1 x 8 persons

Accommodation	
Crew	10T @ 15m/min

Discharge	
Waste Water	1 x 80m ³ /hr @ 100m
Ballast / Oil Water	1 x 50m ³ /hr @ 100m
Dry Bulk	2 x 100m ³ /hr @ 100m
Liquid Mud / Slime	1 x 80m ³ /hr @ 100m
Feed Oil	1 x 80m ³ /hr @ 100m

Propulsion and Main Drive	
DP	DP2
Main Engines	2 x 8000HP
Main Engines- Make / Type	Wipac W6200C3
Propellers	2 x CPP with four blades

Thruster	
Wipac	2 x 600T Thrust
Wipac	1 x 600T Thrust

Auxiliary Engines	
Wipac Generators	2 x 1500 KW
Emergency Generator	1 x 15 KW
Supply System- Voltage	400V/3Phase

Accommodation	
Single Berth Cabins	6 x 1 berths
Double Berth Cabins	2 x 2 berths
Triple Berth Cabins	8 x 1 berths
Total Accommodation	42 berths
Wipac	

Towing and Anchor Handling Details	
Wipac	2000T
Wipac Capacity	8000HP
Towing Drum	1200m x 40mm
Anchor Handling Drum	1200m x 40mm
Spool	2 x 1.45m/ton
Shank Size	300T DWT
Towing Pin	300T DWT
Shank Wire Size	1200m x 40mm
Wipac Roller	300T DWT, 4.0m x 2.0m

Specialty Positioning System	
DP System	Compass DP2 DP2 Duplex
Reference	2 x DGPS + Compass

This technical specifications are for general guidance only and is subject to change without notice. Please Contact

accepts no responsibility, and disclaims all liability for any errors and/or omissions in this specification. The vessel is always offered on "as is, where is" basis.